ORIGINAL

## NEW APPLICATION



Vernon Valley Water, Inc. PO Box 1270 Show Low, Az 85902 (928) 537-8739

RECEIVED

Z00 H/A 31 A H: 10

Aldere com m..., BOCKET COM ......

November 16, 2009

Docket Control Arizona Corporation Commission 1200 West Washington Street Phoenix, Az 85007

W-20540A-10-0115

Attached is an application by Vernon Valley Water, Inc. for approval of a Cross-Connection Tariff. The purpose of this tariff is to protect Vernon Valley Water, Inc. water from the possibility of contamination caused by the backflow of contaminants that may be present on the customer's premises.

**Thomas Grapp** 

Arizona Corporation Commission DOCKETED

MAR 31 2010

DOCKETED BY \ \N

Company Name: Vernon Valley Water, Inc. Page 1 of 2

## **CROSS-CONNECTION OR BACKFLOW TARIFF**

## \*\*FOR OFFICIAL USE ONLY\*\*

		Date:	

- 5. Testing shall be in conformance with the requirements of A.A.C. R18-4-215.F. The Company may require the customer to pay to have the backflow-prevention assembly tested as long as the Company does not require an unreasonable number of tests.
- 6. The customer shall provide the Company with records of installation and testing. For each backflow-prevention assembly, these records shall include:
  - a. assembly identification number and description;
  - b. location
  - c. date(s) of test(s);
  - d. description of repairs and recommendations for repairs made by tester; and
  - e. the tester's name and certificate number.
- 7. In the event the backflow-prevention assembly does not function properly or fails any test, and an obvious hazard as contemplated under A.A.C. R14-2-410.B.1.a. exists, the Company may terminate service immediately and without notice. The backflow-prevention assembly shall be repaired or replaced by the customer and retested.
- 8. In the event the backflow-prevention assembly does not function properly or fails any test, or in the event that a customer fails to comply with the testing requirement, and A.A.C. R14-2-410.B.1.a. is **not** applicable, the backflow-prevention assembly shall be repaired or replaced within fourteen (14) days of the initial discovery of the deficiency in the assembly or its function. Failure to remedy the deficiency or dysfunction of the assembly, or failure to retest, shall be grounds for termination of water service in accordance with A.A.C. R14-2-410.

**EUD	OFFI	CTAT	TICE	ONI	V××

Effective	Linta		